

# Truck range



**24/7** support



## Pallet trucks

MDW Compact pedestrian pallet truck

**Lift capacity** 1600/1800/2000 kg



#### MDE Compact pedestrian pallet truck with forklift

Lift capacity 2000 kg Lift height 0.735 metres



## PLF Compact pedestrian pallet truck with foldable platform

Lift capacity 2000/2500 kg





#### PLR

Compact pedestrian pallet truck with fixed platform

Lift capacity 2000/2500 kg





#### PLS

Compact pedestrian pallet truck with fixed platform

Lift capacity 2000/2500 kg





#### ERGO ALL/XLL Stand-in and sit-on low lifters

Lift capacity 2000/3000 kg



### Stackers

#### PSL

Compact pedestrian stacker

Lift capacity 1250 kg Lift height up to 2.1 metres



#### PS

Compact pedestrian stacker

Lift capacity 1250 kg Lift height up to 4.2 metres



#### PSH

Compact pedestrian stacker

Lift capacity 1600/2000 kg Lift height up to 5.4 metres



#### **PSP**

Pedestrian stacker

**Lift capacity** 1250/1600 kg **Lift height** up to 5.4 metres







#### **PSD**

Compact pedestrian stacker for double-pallet handling

Lift capacity

1250/1600 kg on the straddles Lift height up to 2.1 metres





#### **PDP 200** Double stacker with platform

Lift capacity 2000 kg Lift height 2.1 metres





#### ERGO A Stand-in stacker

Lift capacity 1600/2000 kg Lift height up to 6.75 metres




#### ERGO X Sit-on stacker

Lift capacity 1600/2000 kg Lift heights up to 6.75 metres

#### **ERGO XML** Sit-on double stacker

Lift capacity 1600 kg Lift height 1.5 metres



Lift capacity 1000 kg Lift height up to 6.75 metres



## Order pickers

#### OLP Low level order picker

Lift capacity 2000/2500 kg Lift height 0.22 metres



#### OLH Low level order picker with lifting platform

Lift capacity 2000/2500 kg Lift height 0.22 metres



#### OEP

Low level order picker with Ergolift

Lift capacity 1200 kg Lift height up to 1.2 metres

Li-ION

#### OEH

Low level order picker with Ergolift and lifting platform

Lift capacity 1200 kg Lift height up to 1.2 metres

Li-ION

#### **OSP**

Low level order picker with scissor lift forks

Lift capacity 2000 kg Lift height 0.86 metres

Li-ION

#### OSH

Low level order picker with scissor lift forks and high-lift platform

Lift capacity 2000 kg Lift height 0.86 metres
















#### EPL 100 Medium level order picker

Lift capacity 1000 kg Lift height up to 1.8 metres



Lift capacity 1000 kg Lift height up to 8.25 metres

#### EPH High level order picker

Lift capacity 1250 kg Lift height up to 10.5 metres



#### Tow tractor

**OTP** Tow tractor

Load capacity 3000/5000 kg

Li-ION



## Very narrow aisle reach trucks

TERGO® URS\* Swivel reach truck

Lift capacity 1250/1500 kg Lift height up to 10.35 metres

#### Also Man up VNA options

Lift capacity 1100-2000 kg Lift height up to 17.4 metres



### Reach trucks

#### TERGO® ULS/UND Narrow-chassis reach truck

Lift capacity 1200/1400 kg Lift height up to 8.95 metres



#### **TERGO® UMS** Standard-chassis reach truck

Lift capacity 1600/2000 kg Lift height up to 8.95 metres



#### TERGO® UHD/UHX Heavy duty reach truck

**Lift capacity** 1600/2000/2500 kg Lift height up to 12.1 metres\*



\*13+ metres available for UHX

#### TERGO® UMS-TF/UHD-TF/UHX-TF

Reach truck with telescopic forks

Lift capacity 2000/2500 kg Lift height up to 12.1 metres







#### TERGO® UFW Four-way reach truck

Lift capacity 2000/2500 kg Lift height up to 9.7 metres





## Electric counterbalance forklift trucks

The TX3/TX4/MX electric counterbalance trucks are silent, easy to drive and efficient. They have top-class ergonomics with a fully adjustable driver compartment. An on-board truck computer offers PIN-code-access and service diagnostics. AC drive motor ensures high class performance and low running costs. The counterbalance truck range comes with a full range of mast systems and an efficient battery changeover system.

## TX3 3-wheel counterbalance truck

**Lift capacity** 1250/1500/1600/1800/2000 kg **Lift height** up to 7 metres







## TX4 4-wheel counterbalance truck

Lift capacity 1600/1800/2000 kg Lift height up to 7 metres





#### MX 4-wheel counterbalance truck

**Lift capacity** 2500/3000/3500 kg **Lift height** up to 7 metres



## Diesel/LPG counterbalance forklift trucks

The D/G internal combustion (Diesel/LPG) counterbalance trucks with car-like driveability – featuring advanced safety and efficiency-enhancing technology. The meter panel provides OnBoard Diagnostics for troubleshooting.

#### DX/DX2

4-wheel IC counterbalance truck

**Lift capacity** 1500/1750/2000/ 2500/3000/3200/3500 kg, Diesel/LPG **Lift height** up to 7 metres



#### GX2

4-wheel IC counterbalance truck

Lift capacity 4000/4500/5000/5500 kg, Diesel/LPG Lift height up to 7 metres



#### X

4-wheel IC counterbalance truck

Lift capacity
6000/7000/8000/10000 kg,
Diesel
Lift height up to 8 metres



Li-ION

Models marked with this logo are available with energy efficient lithium-ion technology.





- sale and lease back
- fleet rental
- short-term hire
- hourly rental
- hire and purchase
- core lease



- driver training
- risk assessment
- rack inspection



- warehouse
- counterbalance
- special trucks
- battery change



- vehicle & operator management
- one fleet





- preventative
- full service
- genuine spare parts



Logistic Analyser

the price.

But what

price?

## Reduce your Total Cost of Operation with UniCarriers

We agree. Price is everything. Or to be more specific: your Total Cost of Operation (TCO). That's why we're so focused on cutting costs and improving your material handling. The truck and its performance play an important role, but this is even more about how we can support you in optimising your warehouse operations to give you the best value for your money. Which – in the long run – is what creates a winner.

#### MITSUBISHI LOGISNEXT EUROPE

Mitsubishi Logisnext Europe reserves the right to make any changes without notice concerning colours, equipment or specifications detailed in this brochure, or to discontinue individual models. The colours of vehicles delivered may differ slightly from those in this brochure. The specifications vary for different countries depending on local market conditions. Please consult your local dealer to ensure that the vehicle delivered accords with your expectations. All values are determined based on the standard condition and may vary due to motor and system tolerances, condition of the truck and operational conditions. Some equipment shown on photos is optional.